



ANALIZA BIAŁEK



100007783

Laboratory of Analysis

Client: Modern Aminos
Order number: 100007783
Name: MODERN AMINOS BPC-157
Number of samples: 1 string bag

Batch number: -----
Recived date: 2025-04-22
Start date: 2025-05-05
End date: 2025-05-08

Sample identification

Substance	Method of taking a sample	Form
BPC-157	Sample provided by customer	White capsules in string bag

Results

Substance	Sample name	Content	Purity
BPC-157	MODERN AMINOS BPC-157 500MCG/CAPS	493,23mcg/caps	-----

Research comment

The test sample was applied in the amount of 3 μ l to the BioBasic 8 Thermo Scientific column. During the analysis with the method a linear gradient in the solutions of H₂O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared. Its concentration, when compared to the reference chromatogram, is 493,23mcg/caps. The measurement error is + - 0,5mcg. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample



Password

H62LS87D


Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zajęc



Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	95%	5%
2min	95%	5%
12min	5%	95%
15min	5%	95%

Password

H62LS87D